

Interior PVC / HDF / Plywood Primer Door

Plywood Door

Product Name	Plywood Door
Length	1800 – 2400 mm
Width	600 – 1200 mm
Thickness	25 mm ~ 50 mm
Face/Back	Plywood Door Skin
Inside Filling	Honeycomb Paper / Solid Chipboard / Tubular Chipboard / MDF Strips/Solid Wood Core
Rail & Stile Material	Finger Joint Fir/Pine/Rubber Wood
Structure	Plywood Door Skin, Finger Joint Plank, Core Filling
Accessories	Hardware (Lock, Handle, Hinges) can be Provided if Needed
Design	Flush
Load Ability	40'GP, 40'HQ
Packing	Plastic Film + Pallet Packing / Carton Packing



PVC / White Primer Door / Interior door

Product Name	HDF Door
Length	1800 – 2135 mm
Width	600 – 1000 mm
Thickness	25mm ~ 50 mm
Face/Back	HDF Door Skin
Inside Filling	Honeycomb Paper / Solid Chipboard / Tubular Chipboard / MDF Strips / Solid Wood Core
Rail & Stile Material	Finger Joint Fir / Pine / Rubber Wood
Structure	HDF Door Skin, Finger Joint Plank, Core Filling
Accessories	Hardware (Lock, Handle, Hinges) can be Provided If Needed
Design	2 Panels, 4 Panels, 6 Panels, Oval, Flat, etc....
Load Ability	40'GP, 40'HQ
Packing	Plastic Film + Pallet Packing / Carton Packing



White Primer Laminate Door Skin




Natural Veneer Laminate Door Skin




Door Skin Series we can do	1.Veneer Door Skin
	2.Melamine Door Skin
	3.White Primer Door Skin (Smooth or Wood Grain Texture Surface)
	4.Raw / Plain Door Skin
Type Of Veneer	Natural & Engineered Veneer:
	Ash, Red Oak, White Oak, Walnut, Cherry, Beech, Wengewood, Sapelli, Bubingga, Blue Wenge, Chinese Brich, Teakwood, Cherry, Walnut, Pad Nut, Padouk, Ash, Oak, Teak, Okuma, Beech, Maple, etc.
Door Skin Size	Length: 1850 – 2150 mm
	Width: 600 – 1050 mm
Thickness	2.5 mm, 2.7 mm, 3 mm, 4 mm, 4.5 mm or as Requested
Tolerance	Length/Width Tolerance: +/- 2 mm
	Thickness Tolerance: +/- 0.2 m
Model	6 mm, 8 mm (Standard Moulded)
Depth	12 mm ~ 15 mm (Deep Moulded)
Technical Details	A) Density: Above 0.90 g/Cm3
	B) Moisture: 7%
	C) Water Absorption Rate:< 28%
	D) Length Tolerance:< 2.0 mm
	E) Width Tolerance:< 2.0 mm
	F) Thickness Tolerance:< 0.1 mm
	G) Modulus Of Elasticity:< 40 Mpa
Packing	Seaworthy Export Pallet Packing in Container
	Strengthen by Steel Tapes
Usage	Used for Painting Interior Door Leaf
Advantage	Mould The Solid Wood Fiber to be Raised Panel
	Under High Temperature and Pressure with Advanced Technology,
	No Shrink, No Split, Great Compatibility,
	Elegant Veneer Makes It Fresh, and Classic


Models White Primer Door Skin Woodgrain Finish



AL-201		AL-202		AL-203		AL-204	
Size	Unit: mm	Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150	H	2150
w	380/420/560	w	460/560	w	420/500	w	460/560
h	1680	h	1680	h	1680	h	1680




AL-205		AL-206		AL-207		AL-208	
Size	Unit: mm	Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150	H	2150
w	460/560	w	460/560	w	460/520	w	560
h	1680	h	1680	h	1680	h	1680




AL-209		AL-210		AL-211	
Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150
w	550	w	500	w	500
h	1680	h	1680	h	1680


Models Melamine Door Skin



AL-101		AL-102		AL-103		AL-104	
Size	Unit: mm	Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150	H	2150
w	460/560	w	450/550	w	460/550	w	450/480/550
h	1680	h	1680	h	1680	h	1680




AL-105		AL-106		AL-107		AL-108	
Size	Unit: mm	Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150	H	2150
w	420/520	w	420/520	w	460/550	w	460/560
h	1680	h	1680	h	1680	h	1680



AL-109		AL-110		AL-111		AL-112	
---------------	--	---------------	--	---------------	--	---------------	--


Size	Unit: mm	Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150	H	2150
w	420/520	w	420/520	w	420/520	w	420/520
h	1680	h	1680	h	1680	h	1680



AL-113		AL-114		AL-115	
---------------	--	---------------	--	---------------	--

Size	Unit: mm	Size	Unit: mm	Size	Unit: mm
W	600-1050	W	600-1050	W	600-1050
H	2150	H	2150	H	2150
w	480/580	w	420/520	w	420/520
h	1680	h	1680	h	1680

Models White Primer Door Skin Smooth Finish



AL-001



AL-002



AL-003




AL-004



AL-005




AL-006



AL-007



AL-008




AL-009




AL-010



AL-011



AL-012




AL-013



AL-014



AL-015



AL-016



AL-017




AL-018




AL-019



AL-020



AL-021



AL-022



AL-023



AL-024



AL-025



AL-026



AL-027



AL-028